WORK PRO Installer`s Guide 2015

gültig ab 15. April 2015

ARTIKEL	BEZEICHNUNG	VP (CHF)	Seite
	BLUELINE Digital		
SPS 8	Paging Micro & Audio-Interface for BlueLine Digital Audio Distribution System	**TBA**	9
BLM	Modular central unit of Blueline Digital (includes „BL-PSU“ Main supply unit)	**310.00**	10
BL PSU	Main supply unit with Aux input for redundant supply, Ethernet connection	**420.00**	10
BLMP 1	MP3 Player & Radio; Solid-state player (MP3/USB/SD-Card) & FM-Radio	**300.00**	10
BLS 2 M	Modular Ethernet Streamer & GPIO; 2 Channels Audio on Ethernet & 8 GPIO's	**330.00**	10
BLS 2	Modular Ethernet Streamer; 2 Channels Audio on Ethernet	**295.00**	10
BLS 2 LITE	Independent Ethernet Streamer; 2 Channels Audio on Ethernet	**325.00**	11
BLR 2	Independent IP Audio Receiver & GPIO; receives 2 Audio Ch. from Ethernet & 8 GPIO's	**345.00**	11
BLR 2 Lite	Independent IP Audio Receiver; receives 2 Audio-Channels from Ethernet	**310.00**	11
BLR 2A	Independent IP Audio Receiver & Amplifier 2x5W @ PoE or 2 x 15W with ext. PSU	**385.00**	11
BLC 1	Wall-mount Controller • Source Select & Volume Control • Aux-Input (miniJack)	**135.00**	11
WGC 1	Wall-mount Controller • for any GPI-Interface like Digiline or BlueLine Series	**35.00**	11
WNC 1	Wall-mount Controller • Source Sel. & Vol. Control • Ethernet • programmable	**190.00**	11
	Digital Mixer & DSP		
DIGILINE 8	8/8x8 Digital Matrix with Amplifiers (8x150W @ 4 Ohm), TCP/IP control with WorkCAD	**1'990.00**	14
DIGILINE MX	8/8x8 Digital Matrix, TCP/IP control with WorkCAD Designer, RS232	**1'150.00**	15
WNC 1	Volume & Source Control via Ethernet, programmable by WorkCAD Designer	**190.00**	17
WGC 1	Switch-Controller to select/mute etc., GPI-Inputs	**35.00**	17
D 4T	4 Channels 100V Converter, converts 4 x 200W to 4 independent 100V Lines	**935.00**	17
WPE 26N	Speaker Management System, 2 Inputs / 6 Outputs DSP, Ethernet, USB & OSC control	**820.00**	18
	Light Mouse Series		
LM 5	Interface for audio, lighting and AV control, Server/Memory for 24 Prg./100 Steps	**460.00**	22
AR 5N	Wall-mount control device for LM 5, LAN/Ethernet	**190.00**	22
LM GPIO	Interface for audio, lighting and AV control, 10 GPIOs (inputs/outputs) USB, LAN/Ethernet	**TBA**	27
LM SERIAL	Interface for audio, lighting and AV control, RS232/485 in/out, LAN/Ethernet	**TBA**	29
	Public Address Amplifiers & Power Amplifiers		
DCA 1	Mixing Amplifier (2 x 120W) with ditigal audio Matrix, RS232 & RS485	**660.00**	32
PA 40/2 USB	15W / 100V Mixing Amplifier, 2 Mic., 1 Aux. Inputs & USB/SD MP3-Player	**280.00**	33
PA 90/2 USB	30W / 100V Mixing Amplifier, 2 Mic., 1 Aux. Inputs & USB/SD MP3-Player	**350.00**	33
PA 60/2	60W / 100V Mixing Amplifier, 3 Mic., 2 Aux. Inputs, Treble/Bass control, priority	**415.00**	34
PA 120/2	120W / 100V Mixing Amplifier, 3 Mic., 2 Aux. Inputs, Treble/Bass control, priority	**545.00**	34
PA 60 USB/R	60W / 100V Mixing Amplifier, 3 Mic., 2 Aux. Inputs, & USB/SD MP3-Player/Recorder	**680.00**	35
PA 120 USB/R	120W / 100V Mixing Amplifier, 3 Mic., 2 Aux. Inputs, & USB/SD MP3-Player/Recorder	**790.00**	36
PA 190 USB/R	180W / 100V Mixing Amplifier, 4 Mic./Line, 1 Aux. Inp., & USB/SD MP3, 4 Zone Paging	**890.00**	38
PA 240 USB/R	240W / 100V Mixing Amplifier, 4 Mic./Line, 1 Aux. Inp., & USB/SD MP3, 4 Zone Paging	**925.00**	38
PA 4100	4 x 250W Installed Sound Amplifier, 4/8 Ohm or 100V, 4 mixable Inputs, 4 Zone Outs	**1'690.00**	40
PA 1504	4 x 150W or 2 x 300W Power Amplifier, Input Link Switches	**780.00**	41
PA 1000	1 x 120W Amplifier @ 100V Line or 8 Ohms (220W @ 4 Ohm)	**455.00**	42
PA 5000	1 x 480W Amplifier @ 100V Line or 4 Ohms, Treble, Mid, Bass E.Q. & Vol. In front	**1'190.00**	43
PA 5506	5 Zone Amplifier/Mixer, 5 x 50W @ 100V or 8 Ohm, Selector for each Zone, Priority	**860.00**	44
PA 6306	6 Zone Amp., 6x30W @ 100V or 4 Ohm, Distribution Selectors, Radio & USB/SD/MP3	**1'165.00**	45
ZENITH 600	Power Amplifier 2 x 200W @ 8 Ohm / 2 x 300W @ 4 Ohm / 2 x 450W @ 2 Ohm	**600.00**	46
ZENITH 1300	Power Amplifier 2 x 310W @ 8 Ohm / 2 x 500W @ 4 Ohm / 2 x 600W @ 2 Ohm	**680.00**	46
ZENITH 1800	Power Amplifier 2 x 450W @ 8 Ohm / 2 x 750W @ 4 Ohm / 2 x 1'000W @ 2 Ohm	**895.00**	46
ZENITH 2400	Power Amplifier 2 x 600W @ 8 Ohm / 2 x 1'000W @ 4 Ohm / 2 x 1'250W @ 2 Ohm	**1'030.00**	46
ZENITH 6000	Power Amplifier 2 x 1'200W @ 8 Ohm / 2 x 2'000W @ 4 Ohm / 2 x 3'000W @ 2 Ohm	**2'330.00**	46
WXP 3	Power Amplifier 2 x 300W @ 8 Ohm / 2 x 500W @ 4 Ohm or 1 x 1'000W @ 8 Ohm	**520.00**	47
WXP 5	Power Amplifier 2 x 500W @ 8 Ohm / 2 x 750W @ 4 Ohm or 1 x 1'500W @ 8 Ohm	**700.00**	47
WXP 7	Power Amplifier 2 x 650W @ 8 Ohm / 2 x 1'000W @ 4 Ohm or 1 x 2'000W @ 8 Ohm	**750.00**	47
WCE 200	Power Amplifier 2 x 150W @ 8 Ohm / 2 x 220W @ 4 Ohm or 1 x 500W @ 8 Ohm	**465.00**	48
WCE 400	Power Amplifier 2 x 220W @ 8 Ohm / 2 x 400W @ 4 Ohm or 1 x 800W @ 8 Ohm	**545.00**	48
	Ultra-Compact Amplifiers & Power Supplies		
HOMEAMP	2 x 20W Amplifier, Encoder on/of & Volume, 1 x L/R balanced + MiniJack priority Inputs	**125.00**	49
SLA 50	2 x 25W Install Amp., controllable by RS485/DMX or VCO 0-5V, Din-rail mountable	**195.00**	50
SLA 300	2 x 150W Install Amp., controllable by RS485/DMX or VCO 0-5V, Din-rail mountable	**300.00**	50
DRP 480-48	480W / 10A / 48V Power Supply, Input: 230V / 4A	**350.00**	51
RS-150-48	158.4W / 3.3A / 48V Power Supply, Input: 230V / 2A	**90.00**	51
MDR-60-24	60W / 2.5A / 24V Power Supply, Input: 230V / 1A	**75.00**	51
MDR-50-24	52.8W / 2.2A / 24V Power Supply, Input: 230V / 0.8A	**50.00**	51

WORK PRO Installer`s Guide 2015

gültig ab 15. April 2015

ARTIKEL	BEZEICHNUNG	VP (CHF)	Seite
	Audio Tools		
WEQ 231	Equalizer with constant Q factor, 2 x 31 Band, Feedback monitorization on each band	**665.00**	52
WEF 1010	Digital Dual Mono Feedback Suppressor, 12 Notch filters with -45 dB attenuation	**320.00**	53
WD 416	Audio Signal Distributor, 4 x 4 / 8 x 2 / 1 x 16 Outputs	**420.00**	54
WD 421	Audio Signal Distributor, 2 x 4 / 1 x 8 Outputs	**270.00**	55
	Internet-, Media, CD-, DAB+ & FM-Players		
MULTIPLAYER 2 MKII	Media Player, Slot-In-CD/MP3, SD-Card & USB-Stick Reader, IR Remote included	**490.00**	56
MULTIPLAYER 3 R	Media Player/Recorder for USB & SD-Card, Volume, IR Remote incl. & RS232	**490.00**	57
MULTIPLAYER 4	Media Player & AM/FM-Radio, CD-, USB & SD-Card, IR Remote incl. & RS 232	**690.00**	58
MULTIPLAYER 5	Media Player/Mixer with 3 Mic- & 2 Line-Inputs, IR Remote incl. & RS 232	**860.00**	59
MULTIPLAYER 10 WEB	Media Player, Internet- & FM-Radio, USB/NAS/PC, WLAN & Ethernet, iOS App	**590.00**	
MULTIPLAYER 12 WEB	Media Player, Internet-, **DAB+** & FM-Radio, USB/NAS/PC, WLAN & Ethernet	**790.00**	60
	Start Sequencer & Power Distributor		
WSE 81	Start Sequencer & Power Distributor, 8 x 10A outputs (max. 14 kW), USB-LED Lamp incl.	**425.00**	61
	Headphone Amps & Rack Light		
WPA 6600	Professional Headphone Amplifier, 6 Stereo Channels, Main/Aux Balance	**295.00**	62
WPA 4400	Headphone Amplifier, 4 Stereo Channels, Direct In for all ch.	**200.00**	63
D 19L	LED Light Bar for Rack illimination, 6000° K., on/off Switch, 1U/19“	**100.00**	63
	Audio Mixers		
CLUB MASTER 5	Multipurpose 29-Input Mixer / 8 Channel Design, 110mm Faders, 2 Main Outputs (XLR)	**720.00**	
CLUB MASTER 1	6 Stereo Channels with selectable input sources, 2 Mics with priority, 3U/19“	**450.00**	
CLUB MASTER 1 PH	Same features like „Club Master 1“ but with Phantom Power on Mic channels	**550.00**	64
MMX 65	6 mixable input channels, with Zone selector, 2 Stereo Zones with 3-band E.Q.	**395.00**	65
MMX 62	6 mono Mic/Line Inputs + 3 Stereo Line inputs, 3x XLR Outputs (L/R +M) & RCA's	**350.00**	66
MX 61	6 mono Mic/Line Inputs, Treble, Bass & Vol. Control	**225.00**	67
MMX 60	6 Input Mixer (6 Mic/Line selectable!), Talkover funktion, 3-band E.Q., Master Out (XLR)	**325.00**	68
ANALOG MATRIX 8	Multizone Stereo Mixer (4 Zones) based on al 8x8 mastrix system, connections: XLRs	**270.00**	
	Portable Systems		
ROADER 408	500W portable self-powered System, Easy to fold & transport, Mixer with USB/SD	**1'250.00**	69
WAP 305	in der Schweiz nicht erhältlich!		70
WAP 505	in der Schweiz nicht erhältlich!		70
WAP 650	in der Schweiz nicht erhältlich!		70
WAP 850	in der Schweiz nicht erhältlich!		70
	Loudspeakers (* = available in black or white)		
*** NEO S8A**	8“ Self-powered Subwoofer, 58 W, to mount on walls or ceilings, price/pc.	**290.00**	73
*** NEO 3**	2.5“ Install Speaker, 20 W @ 8 Ohm / 10 W @ 100V Line, Wallmounting incl., price/pc.	**52.00**	74
*** NEO 4**	4“ Install Speaker, 30 W @ 8 Ohm / 16 W @ 100V Line, Wallmounting incl., price/pc.	**72.00**	74
*** NEO 5**	5.25“ Install Speaker, 40 W @ 8 Ohm / 16 W @ 100V Line, Wallmounting incl., price/pc.	**85.00**	74
*** NEO 6**	6.5“ Install Speaker, 60 W @ 8 Ohm / 32 W @ 100V Line, Wallmounting incl., price/pc.	**112.00**	74
*** NEO 8**	8“ Install Speaker, 70 W @ 8 Ohm / 32 W @ 100V Line, Wallmounting incl., price/pc.	**165.00**	74
*** NEO 5 A**	5.25“ Active Set with 2 x 25 W (Master/Slave), RCA- & MiniJack-Inputs, price/Set	**230.00**	75
*** NEO 6 A**	6.5“ Active Set with 2 x 30 W (Master/Slave), RCA- & MiniJack-Inputs, price/Set	**290.00**	75
*** NEO 8 A**	8“ Active Install Speaker, 40W built in Amplifier Wallmounting incl., price/pc.	**270.00**	75
*** NEO 5 A ES**	5.25“ Active Set with 2 x 25 W (Master/Slave), RCA & MiniJack, AutoPower, price/Set	**260.00**	76
*** NEO 5 IP65**	5.25“ Install Speaker, 40 W @ 8 Ohm / 16 W @ 100V, Wallmounting incl., price/pc.	**95.00**	77
*** STUDIO 40 A**	6.5“ Active Set with 2 x 20 W (Master/Slave), RCA- & MiniJack-Inputs, price/Set	**290.00**	78
*** STUDIO 50 A**	8“ Active Set with 2 x 30 W (Master/Slave), RCA- & MiniJack-Inputs, price/Set	**350.00**	78
*** ARQ 16**	6.5“ Plywood Speaker, 80Wrms @ 8 Ohm / 40W @ 100V Line, 90° x 60°, price/pc.	**315.00**	79
*** ARQ 18**	8“ Plywood Speaker, 120Wrms @ 8 Ohm / 40W @ 100V Line, 90° x 60°, price/pc.	**355.00**	79
*** ARQ 25**	2x5.25“ Plywood Speaker, 120Wrms @ 8 Ohm / 40W @ 100V Line, 60° x 60°, price/pc.	**330.00**	79
*** UDA 16**	16x2.75“ Column Speaker, 400Wrms @ 8 Ohm / 140W @ 100V Line,120° x 22/11°, price/	**1'400.00**	80
WS 1000	10“ Subwoofer, 250Wrms @ 8 Ohm, 125 dB, 320 x 540 x 460 mm, price/pc.	**380.00**	82
WS 1200	12“ Subwoofer, 400Wrms @ 8 Ohm, 129 dB, 350 x 625 x 530 mm, price/pc.	**580.00**	82
ARC SUB 10	10“ Aktive Subwoofer, 150Wrms, 30-150 Hz, 330 x 450 x 412 mm, price/pc.	**485.00**	83
ARC SUB 12	12“ Aktive Subwoofer, 200Wrms, 30-150 Hz, 380 x 489 x 470 mm, price/pc.	**535.00**	83
*** MINO 6**	6“ / 1“ compr. Driver, MDFwood Speaker, 160W @ 8 Ohm, 140° x 140°, price/pc.	**225.00**	84
*** MINO 8**	8“ / 1“ compr. Driver, MDFwood Speaker, 200W @ 8 Ohm, 140° x 140°, price/pc.	**265.00**	84

WORK PRO Installer`s Guide 2015

gültig ab 15. April 2015

ARTIKEL	BEZEICHNUNG		VP (CHF)	Seite
*** MINO 10**	10“ / 1“ compr. Driver, MDFwood Speaker, 400W @ 8 Ohm, 55-100° x 55°, price/pc.		**490.00**	84
MINO 12	10“ / 3“ compr. Driver, MDFwood Speaker, 500W @ 8 Ohm, 80° x 50°, price/pc.		**695.00**	84
MINO 15	15“ / 3“ compr. Driver, MDFwood Speaker, 1'000W @ 8 Ohm, 80° x 50°, price/pc.		**1'150.00**	84
MINO 12 A PRO	like MINO 12 but: active 800Wrms bi-amped, bulit-in DSP, Software programmable		**1'250.00**	86
MINO 15 A PRO	like MINO 12 but: active 800Wrms bi-amped, bulit-in DSP, Software programmable		**1'720.00**	86
*** WND 6**	2 x 6.5“ / 1.35 TWT Install Speaker, MDFwood, 400W @ 8 Ohm, 50-100° x 55°		**295.00**	87
*** WND 8**	2 x 8“ / 1.35 TWT Install Speaker, MDFwood, 500W @ 8 Ohm, 50-100° x 55°		**350.00**	87
*** WND 6 A**	like WND 6 but: active 400W, XLR/Jack Input, XLR Output + Euroblock connectors		**635.00**	87
*** WND 8 A**	like WND 8 but: active 400W, XLR/Jack Input, XLR Output + Euroblock connectors		**665.00**	87
*** ACB 1**	Metal plate to built a horizontal cluster		**5.00**	88
*** STB 5**	Metal plate to built a vertical cluster		**35.00**	88
*** STB 10**	Tend adapter		**100.00**	88
*** STB 6**	U-Bracket for WND 6		**30.00**	88
*** STB 8**	U-Bracket for WND 8		**35.00**	88
	Column Speakers			
CS 206	6 x 2“ / 1“ TWT Column Speaker, 30W @ 100V Line, 165°x55°, **IP66**, 506 x 75 x70 mm		**155.00**	89
CS 210	10 x 2“ / 1“ TWT Column Speaker, 30W @ 100V Line, 165°x50°, **IP66**, 721 x 75 x70 mm		**215.00**	89
CS 214	14 x 2“ / 1“ TWT Column Speaker, 30W @ 100V Line, 165°x75°, **IP66**, 937 x 75 x70 mm		**275.00**	89
CSV 640	Speaker Desk Column, 4 x 6“ / 2 x TWT, 40W built-in Amp., Mixer & Mic. Inkluded		**910.00**	90
	ARION - Line Array Systems			
ARION-5 System	3-way System 2'000W with 15“-Sub + 4 x Double 5.25“/1“-Elements, DSP-Presets		**5'965.00**	93
ARION-5 System white	same features, but in white colour		**5'965.00**	93
SL 101	10“ low & 1.75“ compr. Driver, 200Wrms/800Wpeak, 8 + 8 Ohm, 120° horizontal		**1'835.00**	95
SL 212 B	2 x 12“ Subwoofer, 900Wrms/3'600Wpeak, 4 Ohm, 128 dB max. SPL		**2'490.00**	95
FRAME SL	Flying Frame to rig the Arion10-system		**420.00**	95
	Subwoofers			
ZERO 15 AS	Active 15“ Subwoofer, 1'000 W, 45-120 Hz, 123 dB max. SPL		**1'445.00**	96
ZERO 18 AS	Active 18“ Subwoofer, 1'200 W, 42-100 Hz, 125 dB max. SPL		**1'535.00**	96
SL 218 RD	2 x 18“ Subwoofer, 1'200Wrms/4'800Wpeak, 4 Ohm, 136 dB max. SPL		**2'035.00**	98
	Self-powered Sound Systems (Sets)			
EVENTER 1	Set of 2 x ZERO15AU + 2 x UDA16 + all Cables, 2'000 W, 122.5 dB, 120° x 22°		**5'680.00**	99
EVENTER 2	Set of 2 x ZERO15AM1 + 2 x MINO10 + all Cables, 1'600 W, 120 dB, 55/100° x 55°		**3'860.00**	100
EVENTER 3	Set of 2 x ZERO18AM + 2 x MINO12 + all Cables, 2'000 W, 123 dB, 80° x 50°		**4'450.00**	101
	SPB Loudspeaker Accessories			
SPB mini	3D Wall-mount Bracket, vertical & horizontal positioning, black of white		**15.00**	102
SPB 1E	3D Wall-mount Bracket, vertical & horizontal positioning, black of white, safety cable		**15.00**	102
SPB 2E	Wall-mount Bracket, maximum load: 45 kg, black		**20.00**	102
SPB 3E	Wall-mount Bracket, maximum load: 45 kg, black, vertical positioning		**40.00**	103
SPB 4E	Wall-mount Bracket, maximum load: 45 kg, black, vertical & horizontal positioning		**50.00**	103
SPB 2E	Wall-mount Bracket, maximum load: 45 kg, black, adjustable depth		**20.00**	103
SPB 6	Wall-mount Bracket, maximum load: 60 kg, black, vertical positioning		**70.00**	104
SPB 7	Wall-mount Bracket, maximum load: 60 kg, black, vertical positioning (360°)		**50.00**	104
SPB 8	Wall-mount Bracket, maximum load: 60 kg, black, vertical positioning (180°)		**40.00**	104
SPB 10	Truss-mount Bracket, incl. Coupler, max. load: 60 kg, black, adj. depth (270-370mm)		**50.00**	105
SPB 11	Speakerstand-Adaptor for vertical positioning in 5 positions (0-45°)		**40.00**	105
SPB 15	Wall-mount Bracket, max. load: 60 kg, black, vertical & horizontal positioning		**55.00**	105
	Ceiling Speakers (Unless otherwise indicated, then RAL 9003)			
IC 85 QF	Subwoofer-Ceiling Speaker, 8“, 60W @ 8 Ohm / 50W @ 100V Line	!	**TBA**	107
IC 4 PRO	2-way Bass reflex closed design, 4“/ 0.75“, 30W @ 8 Ohm / 8W @ 100V Line	!	**80.00**	108
IC 4 PRO R	2-way Bass reflex closed design, 4“/ 0.75“, 30W @ 8 Ohm / 8W @ 100V Line, square	!	**80.00**	108
IC 6 PRO	2-way Bass reflex closed design, 6.5“/ 0.75“, 60W @ 8 Ohm / 50W @ 100V Line	!	**105.00**	108
IC 6 PRO A	like IC6PRO with: 25W built-in Amplifier, 0-10V & RS485/DMX (need ext. PSU 24V)	!	**140.00**	109
IC 50 T	Fullrange 5“, 6W @ 100V Line, budget series, RAL9016		**30.00**	110
IC 60 T	Fullrange 6“, 6W @ 100V Line, budget series, RAL9016		**35.00**	110
IC 80 T	Fullrange 8“, 6W @ 100V Line, budget series, RAL9016		**40.00**	110
IC 511 T	2-way coaxial, closed design, 5“/ 0.5“, 20W @ 8 Ohm / 20W @ 100V Line, RAL9016	!	**65.00**	111
IC 611 T	2-way coaxial, closed design, 6“/ 0.5“, 30W @ 8 Ohm / 30W @ 100V Line, RAL9016	!	**80.00**	111
IC 811 T	2-way coaxial, closed design, 8“/ 0.5“, 40W @ 8 Ohm / 40W @ 100V Line, RAL9016	!	**100.00**	111
IC 500 T	Fullrange 5“, 6W @ 100V Line / 8 Ohm, budget series, closed design, RAL9016		**50.00**	112

WORK PRO Installer`s Guide 2015

gültig ab 15. April 2015

ARTIKEL	BEZEICHNUNG		VP (CHF)	Seite
IC 600 T	Fullrange 6“, 6W @ 100V Line / 8 Ohm, budget series, closed design, RAL9016		**60.00**	112
IC 800 T	Fullrange 8“, 6W @ 100V Line / 8 Ohm, budget series, closed design, RAL9016		**75.00**	112
IC 550 T	2-way coaxial, 5“/ 0.5“, 6W @ 8 Ohm / 100V Line, quick fastening system	!	**55.00**	113
IC 660 T	2-way coaxial, 6“/ 0.5“, 6W @ 8 Ohm / 100V Line, quick fastening system	!	**60.00**	113
IC 880 T	2-way coaxial, 8“/ 0.5“, 6W @ 8 Ohm / 100V Line, quick fastening system	!	**75.00**	113
RCS 403 PRO T	Fullrange 4“, 6W @ 100V, budget series, closed design, RAL9016		**45.00**	114
RCS 204	2-way, 4“/ 0.5“, 10W @ 100V Line, square, RAL9016		**80.00**	114
RCS 001	2-way in-wall/ceiling speaker, 5“/ 1“, 20W @ 8 Ohm / 4W @ 100V Line, rectangular		**60.00**	115
RCS 002	2-way in-wall/ceiling speaker, 6.5“/ 1“, 30W @ 8 Ohm / 10W @ 100V Line, rectangular		**65.00**	115
RCS 003	3-way in-w./c. speaker, 8“ / 2.5“ /1“ silk dome, 40W @ 8 Ohm / 10W @ 100V, rect.	!	**80.00**	115
	Volume Controllers			
ATP 250	Input Selector & Volume Control, 50W / 100V Line, 24V-Input for emergency alarm		**75.00**	116
ATP 224	Input Selector & Volume Control, 24W / 100V Line, 24V-Input for emergency alarm		**70.00**	116
ATP 206	Input Selector & Volume Control, 6W / 100V Line, 24V-Input for emergency alarm		**50.00**	116
AT 150	Volume Control, 50W / 100V Line		**55.00**	116
AT 125	Volume Control, 25W / 100V Line		**40.00**	116
AT 106	Volume Control, 6W / 100V Line		**15.00**	116
AT 225	Stereo Volume Control for low impendance (4 Ohm) Stereo configurations, 2 x 25W		**85.00**	116
AP 6	Input Selector (6 Positions)		**20.00**	117
	Sound Projectors			
MSH 30/T	2-way, 6“ / 2.5“, 50W @ 8 Ohm / 100V Line, IP56, RAL7035		**235.00**	118
WHS 45 S	Fullrange 5“, 30W @ 8 Ohm / 100V Line, IP56, RAL7035		**180.00**	118
CS 6 A	Fullrange 5“, 6W @ 8 Ohm / 100V Line, IP46, RAL1002		**75.00**	119
CS 30 A	Fullrange 5“, 30W @ 8 Ohm / 100V Line, IP46, RAL1002		**120.00**	119
CSR 208	Sperical 2-way projector, 6.5“ / 1“, 32W @ 8 Ohm / 100V Line, RAL1002		**165.00**	120
CSP 530 D	Aluminium bidirectional projector, 2x5.5“ Fullrange, 15W @ 100V Line, **IP66**, RAL9016		**180.00**	120
CSP 515	Aluminium projector, 5.5“ Fullrange, 15W @ 100V Line, **IP66**, RAL9016		**160.00**	120
CS 323 T	ABS/Alu 6.5“ projector, 20W @ 100V Line, IP55, RAL9016		**80.00**	121
CS 310 T	Alu/Steel 6.5“ projector, 20W @ 100V Line, IP54, RAL9016		**145.00**	121
CS 306 T	ABS/Alu 5“ projector, 10W @ 100V Line, IP55, RAL9016		**60.00**	121
CS 303 T	Alu/Steel 5“ projector, 10W @ 100V Line, IP54, RAL9016		**105.00**	121
CS 601	Unidirectional 5“ projector, 10W @ 100V Line, IP55, RAL9016		**110.00**	121
CS 602	Bidirectional 2 x 5“ projector, 12W @ 100V Line, IP55, RAL9016		**115.00**	121
	Horn Speakers			
SC 10 AH	ABS Horn Speaker / stainless steel handels, 10W @ 100V Line, **IP66**, RAL1002		**65.00**	122
SC 15 AH	ABS Horn Speaker / stainless steel handels, 15W @ 100V Line, **IP66**, RAL1002		**70.00**	122
SC 30 AH	ABS Horn Speaker / stainless steel handels, 30W @ 100V Line, **IP66**, RAL1002		**80.00**	122
PH 10/BT	ABS Horn Speaker, 10W @ 8 Ohm / 100V Line, IP56, RAL9016		**65.00**	123
PH 15/BT	ABS Horn Speaker, 15W @ 8 Ohm / 100V Line, IP56, RAL9016		**70.00**	123
PH 30/BT	ABS Horn Speaker, 30W @ 8 Ohm / 100V Line, IP56, RAL9016		**140.00**	123
TU 15	Alu Horn Speaker, circular shape, 15W @ 8 Ohm, **IP66**, RAL7037		**45.00**	124
TU 25	Alu Horn Speaker, circular shape, 25W @ 8 Ohm, **IP66**, RAL7037		**60.00**	124
TU 1640	Alu Horn Speaker, circular shape, 40W @ 8 Ohm, **IP66**, RAL7037		**85.00**	124
TH 25	Alu Horn Speaker, square shape, 25W @ 8 Ohm, **IP66**, RAL7037		**50.00**	124
SC 35 A	Alu Horn Speaker, square shape, 35W @ 8 Ohm, **IP66**, RAL7037		**55.00**	124
SC 1540	Alu Horn Speaker, square shape, 40W @ 8 Ohm, **IP66**, RAL7037		**95.00**	124
TH 14	Alu Horn Diffusor, 14“ circular shape, IP66, RAL7037 (Driver from TU ML Series)		**60.00**	124
TH 16	Alu Horn Diffusor, 16“ circular shape, IP66, RAL7037 (Driver from TU ML Series)		**80.00**	124
TH 20	Alu Horn Diffusor, 20“ circular shape, IP66, RAL7037 (Driver from TU ML Series)		**90.00**	124
	Crompression Drivers (for TH14/16/20)			
MT 35	Compression Motor, 35W @ 100V Line, 150Hz – 6 kHz, 129 dB max. SPL		**80.00**	125
MT 60	Compression Motor, 60W @ 100V Line, 200Hz – 4.5 kHz, 115 dB max. SPL		**100.00**	125
TU 80 ML	Compression Motor, 80W @ 100V Line, 200Hz – 6 kHz, 115 dB max. SPL		**115.00**	125
	Garden Speakers			
MR 110 G LINE	2-way „Stone Speaker“, 8“ / TWT, 30W @ 100V, grey		**210.00**	126
MR 110 S LINE	2-way „Stone Speaker“, 8“ / TWT, 30W @ 100V, sand		**210.00**	126
PS 300 LINE	2-way „Flowerpot holder Speaker“, 30W @ 8 Ohm / 100V Line, 360° dispersion		**230.00**	126
NGS 5L	2-way „Mushroom shape Speaker“, 50W @ 100V Line, green		**250.00**	127
	Microphones			

WORK PRO Installer`s Guide 2015

gültig ab 15. April 2015

ARTIKEL	BEZEICHNUNG	VP (CHF)	Seite
DM 370 C	Condenser Microphone, cardioid, 50Hz – 18 kHz, on/off-switch, 48V Phantom Power	**95.00**	128
DM 390 C	Condenser Microphone, cardioid, 50Hz – 18 kHz, on/off-switch, 48V P.P & 1.5V Battery	**125.00**	128
XP 10 PRO	Electret Microphone, unidirectional & cardioid, 50Hz – 16 kHz, 9-52V Phantom DC	**85.00**	129
XP 20 PRO	Electret Microphone, linear & gradient, 50Hz – 18 kHz, 16-52V Phantom DC	**100.00**	129
XPB 2	Desk top base for microphones, on/off-switch	**105.00**	129
USM 4	Electret with interference tube, cardioid, 56Hz – 16 kHz, 16-52V Phantom DC	**95.00**	130
USM 5	Electret with interference tube, omni-directional, 56Hz – 18 kHz, 16-52V Phantom DC	**100.00**	130
UBM 2	Desktop base for microphones	**80.00**	130
USM 10	Desktop electret Microphone, cardioid, Phantom 19-52V Phantom DC or 2x1.5V Battery	**180.00**	130
WR 4000	Wireless conference system, incl. 4 Mic.Stations & Central Unit, up to 20 Channels	**nur a.A.**	131
CMU 100	Conference Main Unit	**330.00**	132
WCM 10 C	Chairman Mic.Station	**150.00**	132
WCM 10 D	Mic.Station (up to 70 microphones are possible)	**150.00**	132
KCM 1	Extension Cable (male/female) of 10m	**65.00**	132
KCM 2	Extenstion Cable „T“, 10m Input, 5m output + free output to link	**90.00**	132
XS 1000 PRO	Electret headset microphone, omnid./cardioid, black, MiniJack/MiniXLR (3pin) included	**70.00**	133
XS 1010 PRO	Electret headset microphone, unid./cardioid, black, MiniJack/MiniXLR (3pin) included	**75.00**	133
XS 1500 PRO	Electret headset microphone, omnidirectional, skin color, MiniJack/MiniXLR (3pin) incl.	**80.00**	133
XS 1550 PRO	Electret headset microphone, omnid., skin color, MiniJack/MiniXLR (3pin) & Bag incl.	**150.00**	134
XS 1400 PRO	Electret headset mic., omnid., skin color, one ear fixation	**60.00**	134
XS 2000 PRO	Electret Lavalier microphone, omnidirectional, black	**110.00**	134
XS AD 1	MiniJack 2.5mm / MiniXLR 3pin Adaptor	**25.00**	134
	Microphone Stands		
SH 2500	Folding desktop base	**10.00**	135
SH 2501	Desktop base, round	**20.00**	135
SH 2502	Desktop base, with gooseneck	**25.00**	135
SH 2503	Extendable desktop base	**25.00**	135
SH 2504	Extendable desktop base with gooseneck	**35.00**	135
SH 2505	Extendable desktop base with telescopic boom arm	**30.00**	135
SH 2506	Microphone stand with with telescopic boom arm, low	**50.00**	136
SH 2601	Extendable microphone stand, round base	**40.00**	136
SH 2630	Folding microphone stand with telescopic boom arm	**35.00**	136
SH 2654	Folding microphone stand with telescopic boom arm, fittings made of alu & iron	**45.00**	136
	Wireless Microphone Systems		
	not available in Switzerland		137-140
	19“ Racks		
RM 8 PRO	Professional 8U/19“ Rack, internal fans, wheels, rails, back/side & front doors incl.	**565.00**	141
RM 10 PRO	Professional 10U/19“ Rack, internal fans, wheels, rails, back/side & front doors incl.	**570.00**	141
RM 12 PRO	Professional 12U/19“ Rack, internal fans, wheels, rails, back/side & front doors incl.	**585.00**	141
RM 16 PRO	Professional 16U/19“ Rack, internal fans, wheels, rails, back/side & front doors incl.	**600.00**	141
RM 24 PRO	Professional 24U/19“ Rack, internal fans, wheels, rails, back/side & front doors incl.	**680.00**	141
RM 40 PRO	Professional 40U/19“ Rack, internal fans, wheels, rails, back/side & front doors incl.	**860.00**	141
RM 4	Simple 4U/19“ Rack, internal depth: 350 mm	**250.00**	142
RM 6	Simple 6U/19“ Rack, internal depth: 350 mm	**260.00**	142
RM 8	Simple 8U/19“ Rack, internal depth: 350 mm	**275.00**	142
RM 10	Simple 10U/19“ Rack, internal depth: 350 mm	**280.00**	142
RM 12	Simple 12U/19“ Rack, internal depth: 350 mm	**290.00**	142
RM 16	Simple 16U/19“ Rack, internal depth: 350 mm	**325.00**	142
RM 24	Simple 24U/19“ Rack, internal depth: 350 mm	**355.00**	142
	Rack Accessories		
TC 523	19“ multi-punched rack panel, 1U	**20.00**	143
TC 524	19“ multi-punched rack panel, 2U	**25.00**	143
TC 525	19“ multi-punched rack panel, 3U	**30.00**	143
TC 526	19“ multi-punched rack panel, 4U	**35.00**	143
TC 520	19“ flat rack panels, 1U	**5.00**	143
TC 521	19“ flat rack panels, 2U	**10.00**	143
TC 522	19“ flat rack panels, 3U	**8.50**	143
TC 530	19“ flat rack panels, 4U	**15.00**	143

WORK PRO® Installer`s Guide 2015

gültig ab 15. April 2015

ARTIKEL	BEZEICHNUNG	VP (CHF)	Seite
TC 527	19“ multi-punched rack panel with „L-profile“, 1U	**30.00**	143
TC 528	19“ multi-punched rack panel with „L-profile“, 2U	**35.00**	143
TC 529	19“ multi-punched rack panel with „L-profile“, 3U	**40.00**	143
TV 550	19“ rack panels designed for cooling, 1U	**7.50**	143
TV 551	19“ rack panels designed for cooling, 2U	**8.50**	143
TV 552	19“ rack panels designed for cooling, 3U	**9.50**	143
TP 510	19“ front rack panels with transparent plastic (security panels), 1U	**16.90**	143
TP 511	19“ front rack panels with transparent plastic (security panels), 2U	**19.90**	143
TP 512	19“ front rack panels with transparent plastic (security panels), 3U	**22.90**	143
RA 1111	19“ mounting panels, suitable for unrackable units, 1U	**19.90**	143
RA 1112	19“ mounting panels, suitable for unrackable units, 2U	**22.90**	143
RA 1113	19“ mounting panels, suitable for unrackable units, 3U	**23.90**	143
RA 1114	19“ mounting panels, suitable for unrackable units, 4U	**26.90**	143
CJ 1000	19“ metal drawer with keylock, 2U	**100.00**	143
CJ 1001	19“ metal drawer with keylock, 3U	**110.00**	143
CJ 1002	19“ metal drawer with keylock, 4U	**120.00**	143